Item 9

DC/23/4590/FUL

Construction of new 2 bedroom one and a half storey dwelling 51 The Street, Brandeston, IP13 7AA




Reason for Committee

The application triggered the Planning Referral Process, because the 'minded to' recommendation of officers is to Approve, which is contrary to the Objection from the Parish Council.

No objections have been received from the Ward Member or Statutory Consultees.

The referral penal considered that there were material planning considerations which warranted the application being presented to the planning committee.



Aerial Photograph






















Proposed block plan Existing fruit trees to be removed Existing Parking, 51 The Street Proposed Parking & Turning Area for New Dwelling Proposed Access Hedgerow to be removed to form new access




Proposed elevations




North East Elevation








Proposed floor plans





First Floor Plan

Existing and Proposed Streetscenes



Proposed visualisations



Street Scene - View from North



Street Scene - View from South East Street Scene - View from North West

Examples of existing dwellings along The Street



Proposed dwelling



Conditions (as set out in Section 8

of the officer's report)

Proposed conditions (as detailed in the committee report):

- Time limit
- Compliance with approved plans
- Materials to be submitted
- Boundary Treatment to be submitted
- Landscaping scheme to be submitted
- Implementation of landscaping
- Tree protective fencing
- Removal of permitted development rights (for alterations to the roof)
- Ecological Mitigation
- Discovery of unexpected contamination
- Highways access layout in accordance with DM01, surface material, parking provision, EV charging, cycle storage, means to prevent the discharge of surface water onto the highway

Recommendation

Authority to approve planning permission subject to agreement of planning conditions as summarised above and noted in full within section 8 of the Committee Report.